



### EIGENSCHAFTEN

- ACS : 18ACCLY393
- NF : NF EN 200 - IA - Chrome
- SVGW-SSIGE : 1901-6813

### ZERTIFIZIERUNGEN



### TECHNISCHE DATEN

- Recommandé : 3 bars (max. 5 bars) - Advised : 43,5 psi (max. 72 psi)
- 8,3 l/min à 3 bars (2.2 gpm at 43.5 psi)

### VERFÜGBARE OBERFLÄCHEN

- |                                 |                           |                             |                        |                    |
|---------------------------------|---------------------------|-----------------------------|------------------------|--------------------|
| Altnickel - H28                 | Gold - F01                | Pvd bronze braun - F33      | Pvd messing - H49      | Silbernickel - B01 |
| Blassgold - F30                 | Gold matt - F07           | Pvd bronze braun matt - F34 | Pvd messing matt - H50 |                    |
| Blassgold matt unlackiert - F31 | Mattschwarz keramik - D30 | Pvd gold - H52              | Pvd nickel - H55       |                    |
| Chrom - A02                     | Nickel matt - C01         | Pvd gold matt - H53         | Pvd nickel matt - H56  |                    |
| Chrom / gold - G02              | Pvd blush - H62           | Pvd graphite - H64          | Pvd umber - H66        |                    |
| Chrom matt - C02                | Pvd blush matt - H60      | Pvd graphite matt - H65     | Pvd umber matt - H67   |                    |